



# INSTALLATION MANUAL

Club 322F

Club 3412T

Club 422F

Club 522F

Club 602C

Club 602CTP

Club 620F




Club 622



Club 6422F

Club 8622F

Club 9632

# Club 522F





## Specifications

- Type: 5-1/4" (130mm) Two-Way Car Speaker
- Power Handling: 45W RMS, 135W peak
- Sensitivity (@ 2.83V): 91dB
- Frequency Response: 75Hz – 20kHz
- Nominal Impedance: 3.0 ohms

## Thiele-Small Parameters

- BL (Tm): 3.563
- DCR (ohms): 2.24
- Mms (g): 9.484
- Sd (cm<sup>2</sup>): 103.87
- Cms (μm/N): 0.274
- Vas (l): 4.1850
- Fs (Hz): 98.7
- Qes: 1.036
- Qms: 8.608
- Qts: 0.925
- Crossover Point: 3kHz



HARMAN International  
Industries, Incorporated, 8500  
Balboa Boulevard, Northridge,  
CA 91329 USA

© 2019 HARMAN International  
Industries, Incorporated.

All rights reserved. JBL is a

trademark of HARMAN International Industries, Incorporated,  
registered in the United States and/or other countries.

Features, specifications and appearance are subject to change  
without notice.



**PATENTED PLUS ONE™ WOOFER CONE ARCHITECTURE**  
HAUT-PARLEUR DE GRAVES AVEC ARCHITECTURE DU CÔNE BREVETÉE PLUS ONE™  
ARQUITECTURA PATENTADA DE CONO DE ALTAVOZ PLUS ONE™




**EDGE-DRIVEN SILK DOME TWEETER**  
HAUT-PARLEUR D'AIGUS À DÔME EN SOIE « EDGE DRIVEN »  
ALTAVOZ DE AGUDOS CON CÔPULA DE DISPERSIÓN DE SEDA



**ACOUSTICALLY DAMPED, UV-RESISTANT POLYPROPYLENE CONE**  
CÔNE EN POLYPROPYLENE AVEC ACOUSTIQUE AMORTIE ET PROTECTION CONTRE LES UV  
CONO DE POLIPROPILENO CON AISLAMIENTO ACOUSTICO Y RESISTENTE A RAYOS UV

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**PATENTED PLUS ONE™ WOOFER CONE ARCHITECTURE**




## WHAT'S IN THE BOX

CONTENU DE LA BOÎTE | CONTEUDO DA CAIXA



×2



×1

## TECHNICAL SPECS

CARACTÉRISTIQUES TECHNIQUES |  
ESPECIFICAÇÕES TÉCNICAS



45WRMS  
135W PEAK



(@ 2.83V): 91DB



75Hz - 20kHz



3.0 OHMS